

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

düfa solid sealer

UFI: NM9W-CUEH-RQ8P-2PJY

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

dispersion paint

Relevant identified uses see section 16.

Uses advised against

None, use in accordance with instructions.

1.3. Details of the supplier of the safety data sheet

Company name:	Meffert AG Farbwerke	
Street:	Sandweg 15	
Place:	D-55543 Bad Kreuznach	
Telephone:	+49 671 870-0	Telefax: +49 671 870-397
E-mail:	info@meffert.com	
Contact person:	Regulatory Affairs Department	Telephone: +49 671 870-303
E-mail:	SDB@meffert.com	
Internet:	www.meffert.com	

1.4. Emergency telephone number: 00 800 63333782 Mon.–Fri. 7.30 a.m. – 8.00 p.m., Sat. 9.00 a.m. – 8.00 p.m.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

1,2-benzisothiazol-3(2H)-one

2-methyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Signal word: Warning**Pictograms:****Hazard statements**

H317 May cause an allergic skin reaction.

Precautionary statements

P102	Keep out of reach of children.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 2 of 15

Special labelling of certain mixtures

EUH211:Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Toxicological information: The substance/mixture does not contain any components that are classified as hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605. Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

Environmental information: The substance/mixture does not contain any components that are classified as hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605. Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Relevant ingredients

CAS No	Chemical name	Quantity
	EC No	Index No
		REACH No
	Classification (Regulation (EC) No 1272/2008)	
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]	1 - < 5 %
	236-675-5	01-2119489379-17
	Carc. 2; H351	
14808-60-7	quartz (SiO ₂)	< 0.1 %
	238-878-4	01-2120770509-45
	STOT RE 1; H372	
2634-33-5	1,2-benzisothiazol-3(2H)-one	< 0.05 %
	220-120-9	613-088-00-6
	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411	
2682-20-4	2-methyl-2H-isothiazol-3-one	< 0.1 %
	220-239-6	01-2120764690-50
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.0015 %
		613-167-00-5
	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 3 of 15

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
13463-67-7	236-675-5	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]	1 - < 5 %
		inhalation: LC50 = >6,82 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg Carc. 2; H351: >= 100 - 100	
14808-60-7	238-878-4	quartz (SiO2)	< 0.1 %
		STOT RE 1; H372: >= 100 - 100 STOT RE 2; H373: >= 90 - 100	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.05 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 530 mg/kg Skin Sens. 1; H317: >= 0,05 - 100 Aquatic Acute 1; H400: M=1	
2682-20-4	220-239-6	2-methyl-2H-isothiazol-3-one	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 285 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
55965-84-9		reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.0015 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = 0,33 mg/l (dusts or mists); dermal: LD50 = >75 mg/kg; oral: LD50 = 49,6-75 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100	

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Take off immediately all contaminated clothing and wash it before reuse. If unconscious but breathing normally, place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Wash immediately with: Water and soap Do not wash with: Solvents/Thinner In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures
5.1. Extinguishing media

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 4 of 15

Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

With water, a slippery film is created. Provide adequate ventilation.

For non-emergency personnel

Use personal protection equipment. Personal protection equipment: see section 8

First aider: Pay attention to self-protection!

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up**Other information**

Take up mechanically, placing in appropriate containers for disposal.

Methods and material for containment and cleaning up: Sand Sawdust Universal binder

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation as well as local exhaust at critical locations. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. Personal protection equipment: see section 8

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Provide fresh air. When using do not eat, drink or smoke. Wash hands before breaks and after work. Make available sufficient washing facilities

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Always close containers tightly after the removal of product. Ensure adequate ventilation of the storage area.

Hints on joint storage

Do not store together with: Acid alkali

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 5 of 15

Further information on storage conditions

Keep/Store only in original container. Protect from direct sunlight. Avoid cooling down below 10°C.

7.3. Specific end use(s)

Water-based paints, solvent-free

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]			
Worker DNEL, long-term		inhalation	local	10 mg/m ³
Consumer DNEL, long-term		oral	systemic	700 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one			
Worker DNEL, long-term		inhalation	systemic	6,8 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Worker DNEL, long-term		inhalation	local	0,02 mg/m ³
Worker DNEL, acute		inhalation	local	0,04 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m ³
Consumer DNEL, acute		inhalation	local	0,04 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 6 of 15

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]	
Freshwater		0,127 mg/l
Freshwater (intermittent releases)		0,61 mg/l
Marine water		1 mg/l
Freshwater sediment		1000 mg/kg
Marine sediment		100 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		100 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one	
Freshwater		0,00403 mg/l
Freshwater (intermittent releases)		0,0011 mg/l
Marine water		0,000403 mg/l
Marine water (intermittent releases)		0,0011 mg/l
Freshwater sediment		0,049 mg/l
Marine sediment		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	
Freshwater		0,0039 mg/l
Freshwater (intermittent releases)		0,0039 mg/l
Marine water		0,0039 mg/l
Marine water (intermittent releases)		0,0039 mg/l
Freshwater sediment		0,027 mg/kg
Marine sediment		0,027 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Wear protective glasses during application with a spray gun.- EN ISO 16321

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Replace when worn. See information supplied by the manufacturer. . Comply with ruling 195 of Professional Association on "Usage of Protective Gloves"

Suitable material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), Butyl caoutchouc (butyl rubber), FKM (fluoro rubber) neoprene. Wear cotton underneath if possible.

Breakthrough time: >480 min. Thickness of the glove material: >0,5 mm

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 7 of 15

Unsuitable material: leather, fabric.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Light protective clothing. Chemical resistant safety shoes- EN ISO 20345

Respiratory protection

In case of spray processing: Filtering device (full mask or mouthpiece) with filter: A2/P2

For grinding work: Filtering device (full mask or mouthpiece) with filter: P2

The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace. EN 137

Environmental exposure controls

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	see color on the packaging label
Odour:	sweetish
Odour threshold:	not determined
Melting point/freezing point:	ca. 0°C °C
Boiling point or initial boiling point and boiling range:	ca. 100 °C
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	na
Auto-ignition temperature:	not applicable
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	8,5 - 9,2
Viscosity / kinematic:	na
Water solubility:	completely miscible
Dissolution rate:	not applicable
Partition coefficient n-octanol/water:	Not applicable for mixtures
Vapour pressure:	not determined
Density (at 20 °C):	1,52 g/cm³
Particle characteristics:	Liquid, not applicable

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion:	Not sustaining combustion
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable

Other safety characteristics

Solvent separation test:	not applicable
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flow time:	na

Further Information

none

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 8 of 15

SECTION 10: Stability and reactivity**10.1. Reactivity**

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

10.4. Conditions to avoid

Avoid heat and frost.

10.5. Incompatible materials

Materials that react with water. Alkali (lye) Acid, Oxidising agent..

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Nitrogen oxides (NO_x), Carbon dioxide (CO₂). Under certain fire conditions, traces of other toxic products can not be excluded.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 9 of 15

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]				
	oral	LD50 >5000 mg/kg	Rat		OECD 425
	dermal	LD50 >2000 mg/kg	Rat		
	inhalation (4 h) dust/mist	LC50 >6,82 mg/l			
2634-33-5	1,2-benzisothiazol-3(2H)-one				
	oral	LD50 530 mg/kg	Rat		OECD 423
	dermal	LD50 >2000 mg/kg	Rat		OECD 402
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
2682-20-4	2-methyl-2H-isothiazol-3-one				
	oral	LD50 285 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	oral	LD50 49,6-75 mg/kg	Rat		
	dermal	LD50 >75 mg/kg	Rabbit		
	inhalation vapour	ATE 0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 0,33 mg/l	Rat		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 2-methyl-2H-isothiazol-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]:

Test data from the manufacturer of the raw materials containing TiO₂ according to EN 15051-2 show that the raw materials contain < 1% particles with an aerodynamic diameter of <=10 µm and therefore do not meet the classification criteria. The respirable and thoracic dust content of raw materials containing TiO₂ falls into the very low or low dust category according to the EN 15051-2 method.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 10 of 15

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 11 of 15

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]					
	Acute fish toxicity	LC50 >10000 mg/l	96 h	Cyprinus carpio (Common Carp)		OECD 203
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna (Big water flea)		
2634-33-5	1,2-benzisothiazol-3(2H)-one					
	Acute fish toxicity	LC50 2,15 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 0,11 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 3,27 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC 0,21 mg/l	28 d	Oncorhynchus mykiss (Rainbow trout)		OECD 215
	Algae toxicity	NOEC 0,0403 mg/l	3 d	Pseudokirchneriella subcapitata		OECD 201
	Acute bacteria toxicity	EC50 12,8 mg/l ()	3 h	Activated sludge		OECD 209
2682-20-4	2-methyl-2H-isothiazol-3-one					
	Acute fish toxicity	LC50 >0,15 mg/l	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 0,157 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 0,87 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	EC50 34,6 mg/l ()	3 h	Activated sludge		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	Acute fish toxicity	LC50 0,19 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 202
	Acute algae toxicity	ErC50 0,027 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 0,16 mg/l	48 h	Daphnia magna (Big water flea)		OECD 203
	Fish toxicity	NOEC 0,05 mg/l	14 d	Oncorhynchus mykiss (Rainbow trout)		
	Algae toxicity	NOEC 0,0012 mg/l	3 d	Pseudokirchneriella subcapitata		OECD 201
	Crustacea toxicity	NOEC 0,1 mg/l	21 d	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	EC50 7,92 mg/l ()	3 h	Activated sludge		OECD 209

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 12 of 15

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
2634-33-5	1,2-benzisothiazol-3(2H)-one	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	70-80%	28	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	OECD 301D/ EEC 92/69/V, C.4-E	>60%	28	
	Readily biodegradable (according to OECD criteria).				
		OECD 302B/ ISO 9888/ EEC 92/69/V, C.9	100%	28	
		OECD 303/ EEC 92/69/V, C10	>80%	28	

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
2682-20-4	2-methyl-2H-isothiazol-3-one	-0,32
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<3

BCF

CAS No	Chemical name	BCF	Species	Source
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]	352	Oncorhynchus mykiss (Rainbow trout)	
2634-33-5	1,2-benzisothiazol-3(2H)-one	189	Danio rerio (zebrafish)	OECD 305
2682-20-4	2-methyl-2H-isothiazol-3-one	3,16	No data available	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<100		

12.4. Mobility in soil

Based on available data, the classification criteria are not met.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Dispose according to legislation.

Dried out material residue can be disposed of with household waste. For liquid material residue, contact your local waste collection provider.

List of Wastes Code - residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 13 of 15

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: 0,028 % (0,424 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 0,017 % (0,264 g/l)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 14 of 15

Additional information

This product is a "treated article without a primary biocidal function" (Article 58 in conjunction with Article 3(1)(a)). The product contains biocides with preservative action to combat microbial decay (PT6).

National regulatory information

Additional information

This safety data sheet was prepared in accordance with Regulation (EU) 2020/878.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,7,9.

Abbreviations and acronyms

Acute Tox: Acute toxicity
 Skin Corr: Skin corrosion
 Skin Irrit: Skin irritation
 Eye Dam: Eye damage
 Skin Sens: Skin sensitisation
 Carc: Carcinogenicity
 STOT RE: Specific target organ toxicity - repeated exposure
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard
 EWG - Europäische Wirtschaftsgemeinschaft; EG - Europäische Gemeinschaft; CLP- Regulation on Classification, Labelling and Packaging of Substances and Mixtures; TRGS - Technische Regeln für Gefahrstoffe; PBT - persistenter bioakkumulierbarer und toxischer Stoff; vPvB - very persistent very bioaccumulative; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; VOC - Flüchtige organische Verbindung WGK - Wassergefährdungsklasse

Key literature references and sources for data

Sources: <http://www.gisbau.de> <http://www.baua.de>

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H310 Fatal in contact with skin.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H330 Fatal if inhaled.
 H351 Suspected of causing cancer.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 EUH071 Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of

Safety Data Sheet

according to Regulation (EC) No 1907/2006

düfa solid sealer

Revision date: 04.03.2025

Product code: 10071013830000

Page 15 of 15

product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Coatings and paints, thinners, paint removers	PW, C	19	9a	10, 11	10a, 11a	-	-	Sprüh/Rol/St

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)