

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 1 of 14

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

düfa Schein

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

dispersion paint

**Uses advised against**

None, use in accordance with instructions.

**1.3. Details of the supplier of the safety data sheet**

Company name:	Meffert AG Farbwerke	
Street:	Sandweg 15	
Place:	D-55543 Bad Kreuznach	
Telephone:	+49 671 870-0	Telefax: +49 671 870-397
E-mail:	info@meffert.com	
Contact person:	Regulatory Affairs Department	Telephone: +49 671 870-303
E-mail:	SDB@meffert.com	
Internet:	www.meffert.com	

**1.4. Emergency telephone number:**

00 800 63333782 Mon.–Fri. 7.30 a.m. – 8.00 p.m., Sat. 9.00 a.m. – 8.00 p.m.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

1,2-benzisothiazol-3(2H)-one

2-methyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

**Signal word:** Warning**Pictograms:****Hazard statements**

H317 May cause an allergic skin reaction.

**Precautionary statements**

P102	Keep out of reach of children.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.

**Special labelling of certain mixtures**

EUH211:Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 2 of 14

**2.3. Other hazards**

none

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
13463-67-7	Titanium dioxide			5 - < 10 %
	236-675-5		01-2119489379-17	
	Carc. 2; H351			
14807-96-6	talc, hydrated magnesium silicate (MG3H2(SIO3)4)			3 - < 5 %
	238-877-9		01-2120140278-58	
14808-60-7	quartz (SIO2)			< 0.1 %
	238-878-4		01-2120770509-45	
	STOT RE 1; H372			
2634-33-5	1,2-benzisothiazol-3(2H)-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411			
2682-20-4	2-methyl-2H-isothiazol-3-one			< 0.1 %
	220-239-6		01-2120764690-50	
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 3 of 14

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
13463-67-7	236-675-5	Titanium dioxide	5 - < 10 %
		dermal: LD50 = >10000 mg/kg; oral: LD50 = >5000 mg/kg Carc. 2; H351: >= 100 - 100	
14807-96-6	238-877-9	talc, hydrated magnesium silicate (MG3H2(SiO3)4)	3 - < 5 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
14808-60-7	238-878-4	quartz (SiO2)	< 0.1 %
		STOT RE 1; H372: >= 90 - 100	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 531 mg/kg Skin Sens. 1; H317: >= 0,05 - 100 Aquatic Acute 1; H400: M=1	
2682-20-4	220-239-6	2-methyl-2H-isothiazol-3-one	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 285 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = 0,33 mg/l (dusts or mists); dermal: LD50 = >75 mg/kg; oral: LD50 = 49,6-75 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100	

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

**After inhalation**

Provide fresh air.

**After contact with skin**

Wash immediately with: Water and soap. Do not wash with: Solvents/Thinner

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

**After ingestion**

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Allergic reactions

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**
**5.1. Extinguishing media**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 4 of 14

**Suitable extinguishing media**

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide

**5.3. Advice for firefighters**

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**Additional information**

In case of fire: Wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

With water, a slippery film is created. Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

**6.3. Methods and material for containment and cleaning up****Other information**

Take up mechanically, placing in appropriate containers for disposal.

Methods and material for containment and cleaning up: Sand Sawdust Universal binder

**6.4. Reference to other sections**

Safe handling: see section 7 Personal protection equipment: see section 8

Treat the recovered material as prescribed in the section on waste disposal.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke. Personal protection equipment: see section 8

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Provide fresh air.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Always close containers tightly after the removal of product.

**Hints on joint storage**

Do not store together with: Acid alkali

**Further information on storage conditions**

Keep/Store only in original container. Protect from direct sunlight. Avoid cooling down below 10°C.

**7.3. Specific end use(s)**

Water-based paints, solvent-free

**SECTION 8: Exposure controls/personal protection**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 5 of 14

**8.1. Control parameters**
**DNEL/DMEL values**

CAS No	Name of agent	Exposure route	Effect	Value
13463-67-7	Titanium dioxide			
Worker DNEL, long-term		inhalation	local	10
Consumer DNEL, long-term		oral	systemic	700
14807-96-6	talca, hydrated magnesium silicate (MG3H2(SIO3)4)			
Worker DNEL, long-term		inhalation	systemic	2,16 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	2,16 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	3,6 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	3,6 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	43,2 mg/kg bw/day
Worker DNEL, long-term		dermal	local	4,54 mg/cm <sup>2</sup>
Consumer DNEL, long-term		inhalation	systemic	1,08 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	1,08 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1,18 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	1,18 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	21,6 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	2,27 mg/cm <sup>2</sup>
Consumer DNEL, long-term		oral	systemic	160 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	160 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one			
Worker DNEL, long-term		inhalation	systemic	6,8 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Worker DNEL, long-term		inhalation	local	0,02 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	0,04 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	0,02 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	0,04 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 6 of 14

**PNEC values**

CAS No	Name of agent	Value
Environmental compartment		
13463-67-7	Titanium dioxide	
Freshwater		0,127 mg/l
Freshwater (intermittent releases)		0,61 mg/l
Marine water		1 mg/l
Freshwater sediment		1000 mg/kg
Marine sediment		100 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		100 mg/kg
14807-96-6	talc, hydrated magnesium silicate (MG3H2(SIO3)4)	
Freshwater		597,97 mg/l
Freshwater (intermittent releases)		597,97 mg/l
Marine water		141,26 mg/l
Marine water (intermittent releases)		141,26 mg/l
Freshwater sediment		31,33 mg/kg
Marine sediment		3,13 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one	
Freshwater		0,00403 mg/l
Freshwater (intermittent releases)		0,0011 mg/l
Marine water		0,000403 mg/l
Marine water (intermittent releases)		0,0011 mg/l
Freshwater sediment		0,049 mg/l
Marine sediment		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	
Freshwater		0,0039 mg/l
Freshwater (intermittent releases)		0,0039 mg/l
Marine water		0,0039 mg/l
Marine water (intermittent releases)		0,0039 mg/l
Freshwater sediment		0,027 mg/kg
Marine sediment		0,027 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		0,01 mg/kg

**8.2. Exposure controls**
**Appropriate engineering controls**

Provide adequate ventilation.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

Wear eye/face protection.

Wear protective glasses during application with a spray gun.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 7 of 14

**Hand protection**

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Replace when worn.  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. See information supplied by the manufacturer.

Suitable material: NBR (Nitrile rubber). Wear cotton undermitten if possible.  
Breakthrough time: >480 min.  
Thickness of the glove material: >0,5 mm

**Skin protection**

Light protective clothing.

**Respiratory protection**

In case of spray processing: Filtering device (full mask or mouthpiece) with filter: A2/P2

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	see color on the packaging label	
Odour:	sweetish	
Melting point/freezing point:		not applicable
Boiling point or initial boiling point and boiling range:		120 °C
Flammability		
Solid/liquid:		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		na
Auto-ignition temperature:		not applicable
Decomposition temperature:		not applicable
pH-Value:		8,5 - 9,2
Viscosity / kinematic:		na
Water solubility:		Yes.
Vapour pressure:		not determined
Density:		1,53 g/cm <sup>3</sup>

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion:	Not sustaining combustion
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable

**Other safety characteristics**

Solvent separation test:	not applicable
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flow time:	na

**SECTION 10: Stability and reactivity**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 8 of 14

**10.1. Reactivity**

This material is considered to be non-reactive under normal use conditions.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

**10.4. Conditions to avoid**

Avoid heat and frost.

**10.5. Incompatible materials**

Materials that react with water. Alkali (lye) Acid Oxidising agent.

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide Nitrogen oxides (NO<sub>x</sub>)

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 9 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
13463-67-7	Titanium dioxide				
	oral	LD50 >5000 mg/kg	Rat		OECD 425
	dermal	LD50 >10000 mg/kg	Rabbit		
14807-96-6	talc, hydrated magnesium silicate (MG3H2(SIO3)4)				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		
2634-33-5	1,2-benzisothiazol-3(2H)-one				
	oral	LD50 531 mg/kg	Rat		OECD 423
	dermal	LD50 >2000 mg/kg	Rat		OECD 402
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
2682-20-4	2-methyl-2H-isothiazol-3-one				
	oral	LD50 285 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rat		
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	oral	LD50 49,6-75 mg/kg	Rat		
	dermal	LD50 >75 mg/kg	Rabbit		
	inhalation vapour	ATE 0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 0,33 mg/l	Rat		

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 2-methyl-2H-isothiazol-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 10 of 14

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 11 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
13463-67-7	Titanium dioxide					
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Cyprinus carpio (Common Carp)	OECD 203
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	
2634-33-5	1,2-benzisothiazol-3(2H)-one					
	Acute fish toxicity	LC50 mg/l	2,15	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203
	Acute algae toxicity	ErC50 mg/l	0,11	72 h	Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity	EC50	2,9 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	OECD 215
	Algae toxicity	NOEC mg/l	0,0403	3 d	Pseudokirchneriella subcapitata	OECD 201
	Acute bacteria toxicity	(EC50 mg/l)	12,8	3 h	Activated sludge	OECD 209
2682-20-4	2-methyl-2H-isothiazol-3-one					
	Acute fish toxicity	LC50 mg/l	>0,15	96 h	Danio rerio (zebrafish)	
	Acute algae toxicity	ErC50 mg/l	0,157	72 h	Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	0,87	48 h	Daphnia magna (Big water flea)	
	Acute bacteria toxicity	(EC50 mg/l)	34,6	3 h	Activated sludge	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 202
	Acute algae toxicity	ErC50 mg/l	0,027	72 h	Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,16	48 h	Daphnia magna (Big water flea)	OECD 203
	Fish toxicity	NOEC mg/l	0,05	14 d	Oncorhynchus mykiss (Rainbow trout)	
	Algae toxicity	NOEC mg/l	0,0012	3 d	Pseudokirchneriella subcapitata	OECD 201
	Crustacea toxicity	NOEC	0,1 mg/l	21 d	Daphnia magna (Big water flea)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	OECD 209

**12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 12 of 14

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
2634-33-5	1,2-benzisothiazol-3(2H)-one	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	70-80%	28	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	OECD 301D/ EEC 92/69/V, C.4-E	>60%		
	Readily biodegradable (according to OECD criteria).				
		OECD 302B/ ISO 9888/ EEC 92/69/V, C.9	100%		
		OECD 303/ EEC 92/69/V, C10	>80%		

**12.3. Bioaccumulative potential**

Based on available data, the classification criteria are not met.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
2682-20-4	2-methyl-2H-isothiazol-3-one	-0,32
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<3

**BCF**

CAS No	Chemical name	BCF	Species	Source
13463-67-7	Titanium dioxide	19-352	Oncorhynchus mykiss (Rainbow trout)	
2634-33-5	1,2-benzisothiazol-3(2H)-one	189	Danio rerio (zebrafish)	OECD 305
2682-20-4	2-methyl-2H-isothiazol-3-one	3,16	No data available	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<100		

**12.4. Mobility in soil**

Based on available data, the classification criteria are not met.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Further information**

There are no data available on the mixture itself.  
Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**
**Disposal recommendations**

Do not allow to enter into surface water or drains.  
Dispose according to legislation.  
Dried out material residue can be disposed of with household waste. For liquid material residue, contact your local waste collection provider.

**List of Wastes Code - residues/unused products**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 13 of 14

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

**List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

**Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Completely emptied packages can be recycled.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): 0,02 % (0,308 g/l)

2004/42/EC (VOC): 0,012 % (0,185 g/l)

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**düfa Schein**

Revision date: 14.06.2023

Product code: 10071013820000

Page 14 of 14

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Abbreviations and acronyms**

EWG - Europäische Wirtschaftsgemeinschaft; EG - Europäische Gemeinschaft; CLP- Regulation on Classification, Labelling and Packaging of Substances and Mixtures; TRGS - Technische Regeln für Gefahrstoffe; PBT - persistenter bioakkumulierbarer und toxischer Stoff; vPvB - very persistent very bioaccumulative; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; VOC - Flüchtige organische Verbindung WGK - Wassergefährdungsklasse

**Key literature references and sources for data**

Sources: <http://www.gisbau.de> <http://www.baua.de>

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

**Relevant H and EUH statements (number and full text)**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

**Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Coatings and paints, thinners, paint removers	-	-	9a	10, 11	-	-	-	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*